# General Chemistry 1 (CHEM 1141)

## Shawnee State University – Fall 2019 November 14, 2019

#### **Exam #3 A**

Name

Please write your full name, and the exam version (3 A) that you have on the scantron sheet! (Bubble in the best answer choice for each question on the green & white scantron sheet in pencil!)					
Please ☑ check the box next to your correct section number.	Multiple Choice:	/ 50			
Section Number	Q21:	/10			
☐ 1. (Monday Lab, 11:10 AM – 1:55 PM)	Q22:	/10			
☐ 2. (Wednesday Lab, 11:10 AM – 1:55 PM)	Q23:	/10			
☐ 3. (Monday Lab, 2:30 PM – 5:20 PM)	Q24:	/10			
☐ 4. (Wednesday Lab, 2:30 PM – 5:20 PM)	Q25:	/ 10			
☐ 5. (Thursday Lab, 12:30 PM – 3:20 PM)	BONUS:	/3			
☐ 6. (Tuesday Lab, 12:30 PM – 3:20 PM)	TOTAL:	/ 100			


You are only allowed to use a TI30-XIIS or equivalent non-programmable calculator on this exam! (This means no cell phones, no smart phones, no smart watches, no ipads, or any other such devices will be allowed!)



Each problem in this section (multiple choice) is worth 2.5 points!

### \*\*\*\*\*\*\*

**Q1.** Which of the gases in the graph below has the **smallest** molar mass?




- **A)** A
- **B**) B
- **C**) C
- **D**) D
- **Q2.** If a sample of gas is warmed up from 75 K to 150 K, while also increasing its pressure from 2.0 atm to 4.0 atm, by what factor will its volume change?
  - A) It will be four times larger than before
  - **B)** It will be the same size
  - C) It will be twice as small as before
  - **D)** It will be eight time smaller than before

Q3.	A mixture of He and Ne at a total pressure of 0.95 atm is found to contain 0.32 mol of He and 0.56 mol of Ne. The partial pressure of Ne is atm.
	<b>A)</b> 1.83 atm
	<b>B)</b> 0.60 atm
	C) 0.53 atm
	<b>D)</b> 0.64 atm
Q4.	The pressure of a sample of CH <sub>4</sub> gas (6.022 g) in a 30.0 L vessel at 402 K is atm.
	<b>A)</b> 2.42 atm
	<b>B)</b> 6.62 atm
	C) 0.413 atm
	<b>D)</b> 22.4 atm
Q5.	Which of the following is used to calculate the properties of a nonideal gas?
	A) Charles's Law
	B) Dalton's Law of partial pressures
	C) van der Waals equation
	D) Avogadro's Law

- **Q6.** What must be held constant for the change in enthalpy to be equal to the heat?
  - A) volume
  - B) number of moles
  - C) temperature
  - **D)** pressure
- **Q7.** It takes 11.2 kJ of energy to raise the temperature of 145 g of benzene from 22.0°C to 67.0°C. What is the specific heat of benzene?
  - **A)** 1.72 J/g⋅°C
  - **B)** 1.14 J/g⋅°C
  - **C)** 3.50 J/g·°C
  - **D)** 5.25 J/g⋅°C
- **Q8.** Choose the reaction that illustrates  $\Delta H^{\circ}_{f}$  for Mg(NO<sub>2</sub>)<sub>2</sub>(s).
  - **A)**  $Mg(s) + N_2(g) + 2 O_2(g) \rightarrow Mg(NO_2)_2(s)$
  - **B)**  $Mg^{2+}(aq) + 2 NO_2(aq) \rightarrow Mg(NO_2)_2(s)$
  - C)  $Mg(s) + 2 N(g) + 4 O(g) \rightarrow Mg(NO_2)_2(s)$
  - **D)**  $Mg(NO_2)_2(s) \rightarrow Mg(s) + N_2(g) + 4 O_2(g)$

- **Q9.** Identify the substance that has a  $\Delta H^{\circ}_{f} = 0$  at 25°C.
  - A)  $O_3(g)$
  - **B)** C(s, diamond)
  - $\mathbf{C}$ )  $\mathbf{H}\mathbf{g}(\mathbf{s})$
  - **D)** Ne(g)
- **Q10.** Calculate the energy of orange light emitted by a neon sign with a frequency of  $4.89 \times 10^{14} \text{ Hz}$ ?
  - **A)**  $3.09 \times 10^{-19} \text{ J}$
  - **B)** 6.14 x 10<sup>-19</sup> J
  - **C**) 3.24 x 10<sup>-19</sup> J
  - **D)** 5.11 x 10<sup>-19</sup>J
- **Q11.** The following best represents what kind of orbital?



- **A)** s
- **B**) p
- **C**) d
- **D**) f

- Q12. Identify a correct set of quantum numbers for a 4d orbital.
  - **A)**  $n = 3, l = 2, m_l = -1$
  - **B)**  $n = 4, l = 2, m_l = 0$
  - C)  $n = 2, l = 1, m_l = 0$
  - **D)**  $n = 4, l = 3, m_l = 1$
- Q13. Which of the following visible colors of light has the **longest** wavelength?
  - A) red
  - B) green
  - C) yellow
  - **D)** violet
- Q14. Which electronic transition in a hydrogen atom would result in absorption of the longest wavelength of light?
  - A)  $n=3 \longrightarrow n=1$
  - **B)**  $n = 3 \longrightarrow n = 2$
  - C)  $n = 1 \longrightarrow n = 3$
  - **D)**  $n = 2 \longrightarrow n = 3$

Q15.	A _	ΔH corresponds to an process.
	A)	negative, exothermic
	B)	negative, endothermic
	C)	positive, exothermic
	D)	zero, endothermic
Q16.	An	example of an intensive property is:
	A)	number of moles
	B)	specific heat capacity
	C)	heat
	D)	enthalpy change
Q17.	Но	w many significant figures does the measurement 0.040 L contain?
	A)	one
	B)	two
	C)	three
	D)	four

Q18. The correct name for VO<sub>3</sub> is:

- A) vanadium trioxide
- **B)** vanadium(III) oxide
- C) vanadium oxide
- **D)** vanadium(VI) oxide

**Q19.** How many hydrogen atoms are contained in 18.02 g of H<sub>2</sub>O?

- **A)**  $2.011 \times 10^{23}$  atoms
- **B)**  $6.022 \times 10^{23}$  atoms
- **C)**  $1.204 \times 10^{24} \text{ atoms}$
- **D)**  $1.806 \times 10^{24} \text{ atoms}$

Q20. Which substance is the reducing agent in the following chemical equation:

Zn(s) + 2 HCl(aq)  $\rightarrow$   $H_2(g)$  +  $ZnCl_2(aq)$ 

- $\mathbf{A}$ ) Zn(s)
- **B)** HCl(aq)
- C)  $H_2(g)$
- **D)** ZnCl<sub>2</sub>(aq)



Each problem in this section (short answer) is worth 10 points!

All work must be shown in order to receive full credit!

You must use the factor-label (conversion-factor) method for all conversions!

Be sure to include units where applicable!

All numeric answers must be rounded to the correct number of significant figures!



**Q21.** 34.4 mL of 1.42 M HBr(aq) is added to an excess of Zn. What volume of gas would be produced at a temperature of 37°C and a pressure of 248 mmHg?

$$Zn(s) + 2HBr(aq) \rightarrow ZnBr_2(aq) + H_2(g)$$

Q22. (a) Calculate  $\Delta H$  for the reaction:

$$CH_4(g) + 4 Cl_2(g) \rightarrow CCl_4(g) + 4 HCl(g)$$

Use the following reactions and given  $\Delta H$ 's:

(1) 
$$C(s) + 2 H_2(g) \rightarrow CH_4(g)$$
  $\Delta H = -74.6 \text{ kJ}$ 


$$(2)C(s) + 2 Cl_2(g) \rightarrow CCl_4(g)$$
  $\Delta H = -95.7 \text{ kJ}$ 


$$(3)H_2(g) + Cl_2(g) \rightarrow 2 HCl(g)$$
  $\Delta H = -92.3 \text{ kJ}$ 

Show your work clearly!

(b) Calculate the amount of heat absorbed or released when 25.0 g of HCl is produced according to the  $\Delta H$  found for your answer in part (a).

(c) State whether heat is absorbed or released for part (b).





(c) The Pfund lines result from a transition from/to the n=5 level. When comparing the  $n=8 \rightarrow n=3$  transition to the  $n=8 \rightarrow n=5$  transition, the  $n=8 \rightarrow n=5$  transition has a \_\_\_\_\_ (smaller, higher) energy with a photon that has a \_\_\_\_ (shorter, longer) wavelength.

**Q24.** A gold coin that weighs 34.0g is heated up to a temperature of 431°C. It is then immediately dropped into an insulated beaker of water that contains 12.5 grams of water at a temperature of 4.1°C. Calculate the final temperature of the gold/water system. Note: the specific heat capacity of water is 4.184 J/g·°C, and that of gold is 0.129 J/g·°C. Assume that the system is perfectly isolated.

**Q25.** Place the correct number next to the letter of the definition or phrase that best matches.

A. number of wave cycles that pass through a stationary point	1. <i>n</i>
B. the vertical height of a wave	2. radio
C. the distance between adjacent crests of a wave	3. amplitude
D. quantum number that describes the shape of an orbital	4. gamma rays
E. quantum number that describes the orientation in space of the orbital	5. wavelength
F. quantum number that describes the size and energy of an orbital	6. <i>m</i> <sub>l</sub>
G. quantum number with possible values of $\pm 1/2$ and $\pm 1/2$	7. $\Psi^2$
H. represents the probability of finding an electron at a point in space	8. frequency
I. type of electromagnetic radiation with the lowest energy	9. <i>m</i> <sub>s</sub>
I, type of electromagnetic radiation with the highest energy	10. /

#### 

Determine the molar mass of a gas that has a density of 6.70 g/L at STP. Show all work!

# **Exam checklist**

(Check the boxes to certify the following:)

☐ My full name is written legibly on the front page
☐ My correct lab section has been indicated on the front page
☐ My full name is written legibly on the scantron sheet
$\square$ My exam version (3A, 3B, 3C, or 3D) is written on the scantron sheet
☐ I have shown work for all problems (where appropriate), paying attention to
o Significant figures / decimal places
o Units
☐ I have used the conversion—factor method for all conversions
☐ If I have torn off the back page (periodic table), I will not turn it in with my exam!

Thank-you from the Chemistry Professors and Good Luck!



#### **Useful Information**

1 atm = 760 mmHg = 101,325 Pa

$$PV = nRT$$

$$\frac{P_1V_1}{T_1} = \frac{P_2V_2}{T_2}$$

$$P_1 = X_i P_T$$

$$P_T = P_A + P_B + \dots$$

$$d = PM / RT$$

$$M = dRT / P$$

$$u_{rms} = \sqrt{3RT / M}$$

$$r_1 / r_2 = \sqrt{M_2 / M_1}$$

$$q = m \cdot C_s \cdot \Delta t$$

$$q = C \cdot \Delta t$$

$$\Delta E = R_H \left(\frac{1}{n_i^2} - \frac{1}{n_f^2}\right)$$

$$E_n = -R_H \left(\frac{1}{n^2}\right)$$

$$R_H = 2.18 \times 10^{-18} \text{ J}$$

$$c = 3.00 \times 10^8 \text{ m/s}$$

 $c = v \cdot \lambda$ 

$$c = 3.00 \times 10^8 \text{ m/s}$$
  $h = 6.626 \times 10^{-34} \text{ J} \cdot \text{s}$   $N_A = 6.022 \times 10^{23}$ 

 $R = 0.08206 \frac{atm \cdot L}{mol \cdot K}$ 

$$N_A = 6.022 \times 10^{23}$$

 $E = h \cdot c / \lambda = h \cdot v$