General Chemistry 1 (CHEM 1141) Shawnee State University – Autumn 2022 September 22, 2022

Exam #1A

.

Name

Please print your full name, and the exam version (1 A) that you have on the scantron sheet! (Bubble in the best answer choice for each question on the green & white scantron sheet in pencil!)

٦

Please ⊠ check t	he box next to your correct section numl	ber.
Section #:	 1. (Mon Lab, 10:10 AM - 1:00 PM) 2. (Wed Lab, 10:10 AM - 1:00 PM) 3. (Tue Lab, 11:00 AM - 1:50 PM) 4. (Thu Lab, 11:00 AM - 1:50 PM) 	Fleeman Napper

Multiple Choice:	 / 50
Q21:	 / 10
Q22:	 / 10
Q23:	 / 10
Q24:	 / 10
Q25:	 / 10
BONUS:	 / 3
TOTAL:	 / 100

1



Each problem in this section (multiple choice) is worth 2.5 points!

Q1. Directly underneath is a sketch of a substance that has been drawn as if a sample of the substance were under a microscope so powerful that individual atoms could be seen.



How would you best describe the substance?

- A) Element
- B) Compound
- C) Homogeneous mixture
- D) Heterogeneous mixture

Q2. The SI prefixes μ , m, and M respectively mean:

- A) 10⁻³, 10⁻², 10⁹
- B) 10⁻⁶, 10⁻³, 10⁶
- C) 10⁻³, 10⁻⁶, 10⁶
- D) 10⁻⁶, 10⁻³, 10⁹

Q3. An example of an intensive property, and a chemical property respectively would be:

- A) density, flammability
- B) concentration, thermal conductivity
- C) mass, ability to corrode
- D) volume, temperature

- Q4. An empty flask had a mass of 34.40 g, and when filled with an unknown liquid, its new mass was 54.30 g. If the total volume of the flask was 10.00 mL, what was the density of the liquid?
 - A) 8.870 g/mL
 - B) 5.430 g/mL
 - C) 3.440 g/mL
 - D) 1.990 g/mL
- Q5. Which element would you expect to show similar chemical properties to potassium?
 - A) sodium
 - B) calcium
 - C) gallium
 - D) nitrogen
- Q6. What is the formula of copper(I) sulfate?
 - A) CuSO₄
 - B) Cu₂S
 - C) CuS
 - D) Cu₂SO₄
- Q7. A spacecraft sampled mercury isotopes on a comet in the outer Solar System, and determined that it contained:

<u>isotope</u>	mass (amu)	relative abundance
²⁰² Hg	201.9	32.1%
¹⁹⁹ Hg	198.8	67.9%

From this information, calculate the average atomic mass for mercury:

5

- B) 200.4
- C) 199.8
- D) 199.7

- Q8. Calculate the mass percent of iron in Fe_2S_3
 - A) 40.0%
 - B) 53.7%
 - C) 63.5%
 - D) 71.1%
- Q9. When balancing the following chemical equation using the lowest set of whole number coefficients, what is the coefficient for O₂?

 $\underline{C_4H_8O_2(s)} + \underline{O_2(g)} \rightarrow \underline{CO_2(g)} + \underline{H_2O(g)}$

- A) 3
- B) 4
- C) 5
- D) 6

Q10. How many hydrogen atoms are there in a 24.0 g sample of NH_3 ?

- A) 1.41×10^{23}
- B) 2.55×10^{24}
- C) 8.47 × 10^{23}
- D) 1.90 \times 10²⁴
- Q11. Two atoms are isotopes if they have
 - A) different atomic numbers
 - B) the same mass number, but different atomic numbers
 - C) the same number of protons and neutrons
 - D) the same atomic number, but different mass numbers

_4__

Q12. The names of the following polyatomic ions in order are: SO_3^{2-} , PO_4^{3-} , NO_2^{--} .

- A) sulfate, phosphate, nitrate
- B) sulfite, phosphate, nitrite
- C) sulfate, phosphide, nitrate
- D) sulfite, phosphide, nitrite

Q13. The molar mass of chromic acetate, $Cr(C_2H_3O_2)_3$ is

- A) 198.1 g/mol
- B) 111.0 g/mol
- C) 229.1 g/mol
- D) 178.1 g/mol

Q14. Which compound below can be classified as a molecular compound:

- A) NBr₃
- B) K_2CO_3
- C) NH₄Cl
- D) MgSO₄

Q15. In which of the following lists are NOT ALL of the elements listed in the same family (group)?

- A) He, Ne, Ar
- B) Ni, Pd, Pt
- C) B, C, N
- D) Li, Na, Rb

Q16. Express the number 0.000 044 0 in scientific notation.

- A) 4.40 × 10⁻⁵
- B) 4.4×10^{-5}
- C) 4.40×10^5
- D) 4.4 × 10⁻⁴

Q17. What is the empirical formula of $C_6H_{14}O$?

A) CHO

- B) C₁₂H₂₈O₂
- C) C₆H₁₄O
- D) C₂H₇O

Q18. Determine the moles of Al in 96.7 g of aluminum?

- A) 0.279 mol Al
- B) 3.58 mol Al
- C) 7.43 mol Al
- D) 4.21 mol Al

Q19. How close a measurement is to the true value is called

- A) precision
- B) significant
- C) estimate
- D) accuracy



Q20. Report the length of the bar with correct significant figures and unit.

- A) 5 cm
- B) 5.0 cm
- C) 5.00 cm
- D) 4.5 cm



Each problem in this section (short answer) is worth 10 points! All work must be shown to receive credit!

You must use the factor–label (conversion–factor) method for all conversions! Be sure to include units where applicable!

All numeric answers must be rounded to the correct number of significant figures!

Q21. (i) Give two examples of elements that occur as diatomic molecules in nature:

_____&_____

(ii) Write the chemical formula of cobalt(II) chloride hexahydrate

(iii) Write the chemical formula of trisulfur heptachloride

(iv) Why is the name disodium monoxide incorrect for Na₂O? What should it be?

(v) The most stable form of sulfur is a crown-shaped molecule with the formula S₈.

Student A says that S_8 is a compound because it contains more than one atom per molecule.

Student B says that it can't be a compound because it only contains one type of atom and must be an element.

Who is correct?

Q22. (i) Circle the two atoms that are isotopes?

 $^{212}_{83}X$ $^{212}_{82}X$ $^{213}_{84}X$ $^{213}_{82}X$

(ii) How many protons, neutrons, and electrons does the ¹⁴/₈O²⁻ion contain?
 protons: _____ electrons: _____

(iii) Write out the name of an element in the alkaline earth metals group:

(iv) What is the name given to the group containing the element bromine?

(v) Give an example of an element that is a semi-metal, also known as a metalloid:

(vi) Give an example of an element in the third period of the periodic table:

(vi) Give an example of an element in group 14 (4A) of the periodic table:

Q23. Sorbitol is a compound that can be used as a sweetener. An analysis of the compound finds the following percent composition by mass: Carbon: 39.56%; Hydrogen: 7.74%; Oxygen: 52.70%.

i) Calculate the empirical formula of sorbitol.

ii) What is the molecular formula of sorbitol given that its molar mass is 182.1 g/mol.

Q24. Provide the correct name or formula for the following compounds.

i)	Cr ₃ N ₂
ii)	tribromine octoxide
iii)	$Na_2CO_3 \bullet 10H_2O$
iv)	disilicon hexachloride
v)	ammonium hydrogen carbonate (also known as ammonium bicarbonate)
	9

Q25. i) Find the mass in pounds of $1.00m^3$ of corn syrup. Corn syrup has a density of 1.38 g/cm^3 . (1 kg = 2.205 lb)

ii) Corn syrup has a formula of $C_{16}H_{14}O_7$. How many molecules of corn syrup are contained in 2.149 g of corn syrup?

Using the significant figure / decimal place rules, compute the answer to the following calculation to the correct number of digits:

 $\frac{12.310 - 1.220}{0.23 + 43.77}$

Exam checklist:

(Check the boxes to certify the following:)

- □ My full name is written legibly on the front page
- □ My correct lab section has been indicated on the front page
- □ My full name is written legibly on the scantron sheet
- □ My exam version (A, B, C, or D) is written on the scantron sheet
- □ I have shown work for all problems (where appropriate), paying attention to
 - Significant figures / decimal places
 - o Units
- \square I have used the conversion-factor method for all conversions
- □ If I have torn off the back page (periodic table), I will not turn it in with my exam!

Thank you from the Chemistry Professors and Good Luck!



Useful information:

$$N_A = 6.022 \times 10^{23} \text{ mol}^{-1}$$

	He 2	17 4.003	9 10	F Ne	19.00 20.18	17 18	CI Ar	35.45 39.95	35 36	Br Kr	79.90 83.80	53 54	ГХе	126.9 131.3	85 86	At Rn	[210] [222]	117 118		[293]				
VIA		16	8	0	16.00	16	S	32.07	34	Se	78.96	52	Те	127.60	84	Ро	[210]	116		[289]	70	۲ ۲	173.0	102
٨٨		15	7	z	14.01	15	٩	30.97	33	As	74.92160	51	Sb	121.8	83	Bi	209.0	115			бQ	, E	168.9	101
IVA		14	9	ပ	12.01	14	Si	28.09	32	Ge	72.61	50	Sn	118.7	82	Рb	207.2	114		[285]	89	з Ц	167.3	100
AIII		13	5	Ш	10.81	13	A	26.98	31	Ga	69.72	49	ŋ	114.8	81	F	204.4	113			67	, PO	164.9	00
								12	30	Zn	65.39	48	Cd	112.4	80	Hg	200.6	112		[277]	99		162.50	00
								11	29	Cu	63.55	47	Ag	107.9	62	Αu	197.0	111		[272]	9 F	³ T	158.9	10
ients								10	28	Ż	58.69	46	Pq	106.4	82	£	195.1	110		[269]	ВA	, 9	157.3	90
Elem								6	27	ပိ	58.93	45	Rh	102.9	11	느	192.2	109	Mt	[268]	63	, П Ц	152.0	50
of the								8	26	Fe	55.85	44	Ru	101.1	92	os	190.2	108	Hs	[265]	C9	sm.	150.4	
able (7	25	Мn	54.94	43	Tc	[98]	22	Re	186.2	107	Bh	[264]	61	, D	[145]	00
dic T								9	24	с г	52.00	42	M٥	95.94	74	3	183.8	106	Sg	[266]	Ug	, NO	144.2	00
Peric								5	23	>	50.94	41	qN	92.91	73	Та	180.9	105	Db	[262]	ξQ	, д	140.9	2
								4	22	F	47.87	40	Zr	91.22	72	Ηf	178.5	104	Rf	[261]	58	° Ce	140.1	0
								S	21	Sc	44.96	39	≻	88.91	71	Lu	175.0	103	Ļ	[262]	67	; e	138.9	00
٩II		2	4	Be	9.012	12	Mg	24.31	20	Ca	40.08	38	s	87.62	56	Ba*	137.3	88	Ra**	[226]		*		
۲ ۲	ד -	1.008	с	:	6.941	11	Na	22.99	19	×	39.10	37	Rb	85.47	55	Cs	132.9	87	ŗ	[223]				