

General Chemistry 1 (CHEM 1141)

Shawnee State University – Autumn 2023

November 9, 2023

Exam # 3 A

Name _____

*Please print your full name, and the exam version (3 A) that you have on the scantron sheet!
(Bubble in the best answer choice for each question on the scantron sheet in pencil!)*

Please check the box next to your correct section number.

- Section #:**
- 1. (Mon Lab, 11:10 AM – 1:55 PM) } **Fleeman**
 - 2. (Wed Lab, 11:10 AM – 1:55 PM) }
 - 3. (Tue Lab, 11:00 AM – 1:50 PM) } **Napper**
 - 4. (Thu Lab, 11:00 AM – 1:50 PM) }

Multiple Choice: _____ / **50**

Q21: _____ / **10**

Q22: _____ / **10**

Q23: _____ / **10**

Q24: _____ / **10**

Q25: _____ / **10**

BONUS: _____ / **3**

TOTAL: _____ / **100**



Each problem in this section (multiple choice) is worth 2.5 points!




- Q1. 0.20 mol of nitrogen is mixed with 0.40 mol of argon at STP. If the total pressure is 1.20 atm, what must the partial pressure of argon be?
- A) 0.20 atm
 - B) 0.40 atm
 - C) 0.60 atm
 - D) 0.80 atm
- Q2. Gases can be modeled as being composed of tiny, constantly moving particles—which collide with each other and exchange energy. The pressure of the gas arises from collisions with the walls. This is known as:
- A) The ideal gas law
 - B) The Boltzmann postulate
 - C) The kinetic molecular theory
 - D) The van der Waals hypothesis
- Q3. Real gases differ from ideal gases in that the particles:
- A) are moving at different speeds depending upon their absolute temperature
 - B) are composed of molecules that can contain more than one atom
 - C) have motion that is affected by the molar mass of the gas
 - D) have both size and attractions to one another
- Q4. Potential energy is energy by virtue of
- A) speed
 - B) position
 - C) size
 - D) temperature

- Q5. An isolated system is:
- A) not able to exchange matter or energy with its surroundings
 - B) able to exchange matter but not energy with its surroundings
 - C) not able to exchange matter, but can exchange energy with its surroundings
 - D) able to exchange both matter and energy with its surroundings
- Q6. A 10.0 g sample of aluminum with a temperature of 14.0 °C has a specific heat of 0.90 J/g·°C. If it loses 42 J of heat, what will its new temperature be?
- A) -33.2 °C
 - B) 4.7 °C
 - C) 9.3 °C
 - D) 19.4 °C
- Q7. For the thermochemical equation: $2 \text{SO}_2(\text{g}) + \text{O}_2(\text{g}) \rightarrow 2\text{SO}_3(\text{g}) ; \Delta H = -198.2 \text{ kJ/mol}$ calculate q if 15.0 g of $\text{SO}_2(\text{g})$ reacts.
- A) +11.6 kJ
 - B) -46.4 kJ
 - C) +99.1 kJ
 - D) -23.2 kJ
- Q8. Graphite and diamond are two different *forms* of the element carbon. A more precise description would refer to them as:
- A) isotopes
 - B) allotropes
 - C) isomers
 - D) allosters
- Q9. Electromagnetic waves with a frequency of $3.7 \times 10^8 \text{ Hz}$ have a wavelength of:
- A) $8.1 \times 10^{15} \text{ m}$
 - B) 810 nm
 - C) 81 μm
 - D) 0.81 m

- Q10. Which set of four quantum numbers is impossible for an electron in an atom?
- A) $n = 4, l = 1, m_l = -3, m_s = -1/2$
 - B) $n = 3, l = 2, m_l = -2, m_s = +1/2$
 - C) $n = 2, l = 1, m_l = 1, m_s = -1/2$
 - D) $n = 1, l = 0, m_l = 0, m_s = -1/2$
- Q11. All of the following have a standard heat of formation, ΔH°_f , value of zero at 25 °C and 1.0 atm **except**:
- A) $\text{Cl}_2(\text{g})$
 - B) $\text{Fe}(\text{s})$
 - C) $\text{H}(\text{g})$
 - D) $\text{Ne}(\text{g})$
- Q12. The change of enthalpy in an exothermic reaction is
- A) positive
 - B) negative
 - C) constant
 - D) none of the above
- Q13. Which statement about the following reaction is correct?
- $$2 \text{Fe}(\text{s}) + 3 \text{CO}_2(\text{g}) \rightarrow \text{Fe}_2\text{O}_3(\text{s}) + 3 \text{CO}(\text{g}) \quad \Delta H = 26.6 \text{ kJ/mol}$$
- A) 26.6 kJ of heat is absorbed for every 2 mol of Fe reacted
 - B) 26.6 kJ of heat is released for every 3 mol of CO_2 reacted
 - C) 26.6 kJ of heat is released for every 3 mol of CO produced
 - D) 13.3 kJ of heat is absorbed for every 3 mol of CO_2 reacted
- Q14. What is a possible set of quantum numbers that describe a 3p orbital?
- A) $n = 3, l = 1, m_l = 1, m_s = -1/2$
 - B) $n = 3, l = 2, m_l = 1, m_s = -1/2$
 - C) $n = 3, l = 3, m_l = 1, m_s = -1/2$
 - D) $n = 3, l = 1, m_l = -3, m_s = -1/2$

Q15. What type of atomic orbital is represented below?



- A) s
- B) p
- C) d
- D) f

Q16. Which of the following is true about frequency and wavelength of electromagnetic waves?

- A) as frequency increases, wavelength decreases
- B) as frequency increases, wavelength increases
- C) frequency is a constant for all wavelengths
- D) frequency and wavelength are independent of each other

Q17. Which statement is true about the ground state and the excited state of an electron in an atom?

- A) the ground state is the highest energy level of an electron
- B) the ground state is the lowest energy level of an electron
- C) the ground state is further from the nucleus than the excited state
- D) when an electron goes from the excited state to the ground state it absorbs light

Q18. Which color of visible light has the smallest frequency?


- A) blue
- B) green
- C) violet
- D) red

Q19. The amount of heat needed to raise the temperature of one gram of a substance by one degree Celsius is referred to as:

- A) heat capacity
- B) specific heat
- C) calorimetry
- D) enthalpy

Q20. The reaction that represents the standard enthalpy of formation, ΔH°_f , for liquid acetone, CH_3COCH_3 , is:

- A) $\text{CH}_3\text{COCH}_3(\text{l}) \rightarrow 3 \text{C}(\text{graphite}) + 3 \text{H}_2(\text{g}) + \frac{1}{2} \text{O}_2(\text{g})$
- B) $6 \text{C}(\text{graphite}) + 6 \text{H}_2(\text{g}) + \text{O}_2(\text{g}) \rightarrow 2 \text{CH}_3\text{COCH}_3(\text{l})$
- C) $3 \text{C}(\text{graphite}) + 3 \text{H}_2(\text{g}) + \frac{1}{2} \text{O}_2(\text{g}) \rightarrow \text{CH}_3\text{COCH}_3(\text{l})$
- D) $\text{CH}_3\text{COCH}_3(\text{l}) + 4 \text{O}_2(\text{g}) \rightarrow 3 \text{CO}_2(\text{g}) + 3 \text{H}_2\text{O}(\text{g})$



Each problem in this section (short answer) is worth 10 points!

All work must be shown to receive credit!

You must use the factor–label (conversion–factor) method for all conversions!

Be sure to include units where applicable!

All numeric answers must be rounded to the correct number of significant figures!





- Q21. (a) A hydrogen atom undergoes a transition from $n = 5$ to $n = 3$. Calculate both the frequency and wavelength of light absorbed / emitted (state which).


(b) Without performing a calculation, write down a transition that would lead to a **longer** wavelength of light than the one described in part (a). Explain your answer.

Q22. (a) Write down the chemical reaction that corresponds to ΔH_f° for $\text{C}_3\text{H}_7\text{OCl}(\text{l})$.

(b) Given the following chemical equations:




Calculate ΔH for:



Be sure to explain your work!

Q23. Find the final temperature of an aluminum/water mixture when 10.0 grams of aluminum at 130.0 °C mixes with 200.0 g of water at 25.0 °C. The specific heat of aluminum is 0.900 J/g•°C and the specific heat of water is 4.184 J/g•°C. Assume the system is isolated.

Q24. (a) Using the following standard heats of formation, calculate $\Delta H^\circ_{\text{rxn}}$, in kJ/mol, for the following combustion reaction.



Substance	$\Delta H^\circ_{\text{f}}$ (kJ/mol)
$\text{CH}_3\text{OH}(\text{l})$	-238.4
$\text{H}_2\text{O}(\text{g})$	-241.8
$\text{CO}_2(\text{g})$	-393.5

(b) Calculate the kilojoules of heat (released or absorbed, **underline your choice**) if 55.5 g of CH_3OH is reacted according to the above equation.

Q25. Place the correct number next to the letter of the definition or phrase that best matches.

- | | |
|---|---------------|
| ___ A. the distance between two successive points on a wave | 1. d |
| ___ B. quantum number that describes the shape of an orbital | 2. p |
| ___ C. quantum number that describes the size and energy of an orbital | 3. Ψ^2 |
| ___ D. quantum number that describes the orientation of an orbital in space | 4. m_l |
| ___ E. quantum number that has two possible values, $+1/2$ and $-1/2$ | 5. m_s |
| ___ F. the height of a wave | 6. n |
| ___ G. number of waves that pass through a particular point in 1 second | 7. l |
| ___ H. set of orbitals that can hold a maximum of six electrons | 8. amplitude |
| ___ I. set of orbitals that can hold a maximum of ten electrons | 9. wavelength |
| ___ J. the probability of finding an electron in a certain region of space | 10. frequency |



3 Point Bonus Question




What is the wavelength of an electron of mass 9.11×10^{-31} kg traveling at 15,000 m/s?

Exam checklist:

(Check the boxes to certify the following:)

- My full name is written legibly on the front page
- My correct lab section has been indicated on the front page
- My full name is written legibly on the scantron sheet
- My exam version (A or B) is written on the scantron sheet

Thank you from the Chemistry Professors and Good Luck!



Quantum Mechanics

Useful information:

$$N_A = 6.022 \times 10^{23} \text{ mol}^{-1}$$

$$q = mc\Delta t = C\Delta t$$

$$c = v\lambda$$

$$E = h\nu = \frac{hc}{\lambda}$$

$$c = 3.00 \times 10^8 \text{ m/s}$$

$$h = 6.626 \times 10^{-34} \text{ J}\cdot\text{s}$$

$$\lambda = \frac{h}{mu}$$

$$E_n = -R_H \left(\frac{1}{n^2} \right)$$

$$R_H = 2.18 \times 10^{-18} \text{ J}$$

Periodic Table of the Elements

IA	IIA	IIIA	IVA	VA	VIA	VIIA	VIIIA
1 H 1.008	2 He 4.003	13 B 10.81	14 C 12.01	15 N 14.01	16 O 16.00	17 F 19.00	18 Ne 20.18
3 Li 6.941	4 Be 9.012	13 Al 13	14 Si 28.09	15 P 30.97	16 S 32.07	17 Cl 35.45	18 Ar 39.95
11 Na 22.99	12 Mg 24.31	13 Al 13	14 Si 28.09	15 P 30.97	16 S 32.07	17 Cl 35.45	18 Ar 39.95
19 K 39.10	20 Ca 40.08	21 Sc 44.96	24 Cr 52.00	25 Mn 54.94	26 Fe 55.85	27 Co 58.93	28 Ni 58.69
37 Rb 85.47	38 Sr 87.62	39 Y 88.91	42 Mo 95.94	43 Tc [98]	44 Ru 101.1	45 Rh 102.9	46 Pd 106.4
55 Cs 132.9	56 Ba* 137.3	71 Lu 175.0	74 W 183.8	75 Re 186.2	76 Os 190.2	77 Ir 192.2	78 Pt 195.1
87 Fr [223]	88 Ra** [226]	103 Lr [262]	106 Sg [266]	107 Bh [264]	108 Hs [265]	109 Mt [268]	110 Uu [269]
		111 Cu 63.55	112 Zn 65.39	113 Ga 69.72	114 Ge 72.61	115 As 74.92160	116 Se 78.96
		117 At [210]	118 Rn [222]	119 Fr [223]	120 Ra [226]	121 Ac [227]	122 Th [232]
		123 Pa [231]	124 U 238.0	125 Np [237]	126 Pu [244]	127 Am [243]	128 Cm [247]
		129 Bk [247]	130 Cf [251]	131 Es [252]	132 Fm [257]	133 Md [258]	134 No [259]
		135 Lr [262]	136 Lu [263]	137 Hf [264]	138 Ta [265]	139 W [266]	140 Rf [267]
		141 La 138.9	142 Ce 140.1	143 Pr 140.9	144 Nd 144.2	145 Pm [145]	146 Sm 150.4
		147 Eu 152.0	148 Gd 157.3	149 Tb 158.9	150 Dy 162.50	151 Ho 164.9	152 Er 167.3
		153 Tm 168.9	154 Yb 173.0	155 Lu 174.967	156 Hf 178.49	157 Ta 180.948	158 W 183.84
		159 Rf [188]	160 Sg [186]	161 Bh [184]	162 Hs [185]	163 Mt [188]	164 Uu [189]
		165 Cu 63.55	166 Zn 65.39	167 Ga 69.72	168 Ge 72.61	169 As 74.92160	170 Se 78.96
		171 At [210]	172 Rn [222]	173 Fr [223]	174 Ra [226]	175 Ac [227]	176 Th [232]
		177 Pa [231]	178 U 238.0	179 Np [237]	180 Pu [244]	181 Am [243]	182 Cm [247]
		183 Bk [247]	184 Cf [251]	185 Es [252]	186 Fm [257]	187 Md [258]	188 No [259]
		189 Lr [262]	190 Lu [263]	191 Hf [264]	192 Ta [265]	193 W [266]	194 Rf [267]
		195 La 138.9	196 Ce 140.1	197 Pr 140.9	198 Nd 144.2	199 Pm [145]	200 Sm 150.4
		201 Eu 152.0	202 Gd 157.3	203 Tb 158.9	204 Dy 162.50	205 Ho 164.9	206 Er 167.3
		207 Tm 168.9	208 Yb 173.0	209 Lu 174.967	210 Hf 178.49	211 Ta 180.948	212 W 183.84
		213 Rf [188]	214 Sg [186]	215 Bh [184]	216 Hs [185]	217 Mt [188]	218 Uu [189]